

| Jøtul F 260 serien   |            |                     |   |  |                             |
|--|------------|---------------------|---|--|-----------------------------|
| Jøtul F 262 BP cat no. 30023270, Jøtul F 263 BP m/sideglass cat no. 30023271 |            |                     |   |  |                             |
| BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted    |            |                     |   |  |                             |
| Pos. no.   | Spareparts | Consist of pos.no:  | Benevnelse  | Description  | Dim./Spec.                  |
| 1  | 12044167   |                     | Brennkammer Topp F 260                              | Burnchamber Top F 260                                | Cast Iron min 4mm thickness |
| 2  |            |                     | Dør F 260   | Door F 260   | Cast Iron min 4mm thickness |
| 3  | 12036601   |                     | Bunnplate   | Bottom plate   | Cast Iron min 4mm thickness |
| 4  | 12019596   |                     | Sidestykke, Høyre                                   | Side plate, Right                                    | Cast Iron min 4mm thickness |
| 5  | 12019598   |                     | Sidestykke, Venstre                                 | Side plate, Left                                     | Cast Iron min 4mm thickness |
| 6  | 12019604   |                     | Spylebrem   | Air deflector  | Cast Iron min 4mm thickness |
| 7  | 12019606   |                     | Fyrbunn   | Bottom plate inner                                   | Cast Iron min 4mm thickness |
| 7  | 12019606   | 153,154             | Fyrbunn komplett MK2                                | Bottom plate inner complete MK2                      | Cast Iron min 4mm thickness |
| 153  | 12050010   |                     | Fyrbunn F160 MK2                                    | Inner Bottom F160 MK2                                | Cast Iron min 4mm thickness |
| 154  | 12050011   |                     | Fyrbunnrist F160 MK2                                | Inner Bottom Grate F160 MK2                          | Cast Iron min 4mm thickness |
| 8  | 12019608   |                     | Bakplate  | Rear plate   | Cast Iron min 4mm thickness |
| 9  | 12019610   |                     | Luftkanal bak                                       | Rear Air manifold                                    | Cast Iron min 4mm thickness |
| 10   | 12039588   |                     | Konveksjonstopp F 260 BP                            | Convection top, cast iron F 260BP                    | Cast Iron min 4mm thickness |
| 11   | 12018891   |                     | Lufrist Topp  | Air outlet Top                                       | Cast Iron min 4mm thickness |
| 12   | 12018896   |                     | Skål Topp   | Smoke outlet Bowl                                    | Cast Iron min 4mm thickness |
| 13   | 12019620   |                     | Deksel uteluft                                      | Cover outside air                                    | Cast Iron min 4mm thickness |
| 14   | 10036786   |                     | Håndtak Dør F260                                    | Handle Door F 260                                    | Cast Iron min 4mm thickness |
| 14   | 12051583   |                     | Håndtak Dør F260 BE Okt.2016                        | Handle Door F 260 BE Oct. 2016                       | Cast Iron min 4mm thickness |
| 15   | 10036785   |                     | Hendel luftventil F260                              | Handle primary air F260                              | Cast Iron min 4mm thickness |
| 15   | 12051582   |                     | Hendel luftventil F260 BE Okt.2016                  | Handle primary air F260 BE Oct. 2016                 | Cast Iron min 4mm thickness |
| 16   | 10036782   |                     | Sentrerings brakett                                 | Center Steel Bracket F260                            | Steel, 1,5mm                |
| 17   | 12019112   |                     | Hengsel- dørlås oppe                                | Hinge-lock Door upper                                | Cast Iron min 4mm thickness |
| 18   | 10023692   |                     | Skrue sylinderhode 6K Pass f9 M5x16                 | Skrue cylhead 6K Pass f9 M5x16                       | Steel                       |
| 19   | 12019643   |                     | Deksel røkrør F 160                                 | Smoke outlet cover F 160                             | Cast Iron min 4mm thickness |
| 20   | 12031171   |                     | Røkstuss ø150 dripless                              | Smoke outlet ø150 dripless                           | Cast Iron min 4mm thickness |
| 21   | 12019639   |                     | Ledeplate venstre                                   | Deflector left                                       | Cast Iron min 4mm thickness |
| 22   | 12036688   | 2,31,32,34,35,61,62 | Dør komplett u/glass                                | Door complete without glass                          | Cast Iron min 4mm thickness |
| 23   | 10036787   |                     | Håndtak Fast F 260                                  | Handle Firm F 260                                    | Cast Iron min 4mm thickness |
| 23   | 12051584   |                     | Håndtak Fast F 260 BE Okt.2016                      | Handle door Firm F 260 BE Oct. 2016                  | Cast Iron min 4mm thickness |
| 24   | 10036753   |                     | Glass Front F260                                    | Glass Front F260                                     | Ceramic glass 4mm           |
| 25   | 10026640   |                     | Sideglass   | Side glass   | Ceramic glass 4mm           |
| 26   | 10036732   |                     | Ventil plate F160/F260                              | Valve plate F 160/F260                               | Steel                       |
| 27   | 12019637   |                     | Ledeplate Høyre                                     | Deflector right                                      | Cast Iron min 4mm thickness |
| 28   | 40026582   | See Pos. 151        | Hvelv (Komplett brenpl. Kitt Pos.151 10044934)      | Baffle (Complete burn pl. Kitt Pos.151 10044934)     | Vermiculite                 |
| 29   | 10026638   |                     | Askeskuff   | Ash pan  | Steel                       |
| 30   | 10026648   |                     | Luftkanal komplett                                  | Air channel Complete                                 | Steel                       |
| 31   | 10026637   |                     | Aksel dørlås komplett                               | Axle lock door complete                              | Steel                       |
| 32   | 10023545   |                     | Skrue sekskant med flens M6x12 DIN 6921             | Screw hex cap flange M6x12 DIN 6921                  | St8.8 / ANSI B18.2          |
| 33   | 10023663   |                     | Skrue sekskant med flens M8x25 DIN 6921             | Screw hex cap flange M8x25 DIN 6921                  | St8.8 / ANSI B18.2          |
| 34   | 10023707   |                     | Skrue senkhode Innvendig Sekskant M6x10             | Screw Countersunk Cap Internal Hex. M6x10            | St8.8 / ANSI B18.2 DIN 7991 |
| 35   | 10024259   |                     | Glassklips front glass                              | Glassclip front glas                                 | Stainless Steel             |
| 36   | 10023984   |                     | Glassklips side glass                               | Glassclip side glas                                  | Stainless Steel             |
| 37   | 10023540   |                     | Skrue sekskant med flens M6x20                      | Hexagon screw  | M6x20                       |
| 38   | 40026583   | See Pos. 151        | Brennplate (Komplett brenpl. Kitt Pos.151 10044934) | Burn plate (Complete burn pl. Kitt Pos.151 10044934) | Vermiculite                 |
| 39   | 40026584   | See Pos. 151        | Brennplate (Komplett brenpl. Kitt Pos.151 10044934) | Burn plate (Complete burn pl. Kitt Pos.151 10044934) | Vermiculite                 |
| 40   | 12019645   |                     | Brennplate bakre                                    | Burn plate rear                                      | Cast Iron min 4mm thickness |
| 41   | 10023536   |                     | Skrue sekskant med flens M6x25 Spesial              | Screw hex cap flange frame M6x25 Special             | M6x25                       |
| 42   | 10026565   |                     | Fjær for ventiler                                   | Spring for valves                                    | Stainless spring steel      |
| 43   | 10023672   |                     | Skive M10 Ø10,1xØ19,4x0,9 Sortkr. Spesial           | Washer M10 Ø10.1xØ19.4x0.9 Blackcr. Special          | Steel                       |
| 44   |            | 41,48,49,53,97      | Selvlukkemekanisme komplett                         | Self closing mec.complete                            |                             |
| 45   | 10026588   |                     | Holder for luftventil                               | Air valve support                                    | Stainless spring steel      |
| 46   | 10024104   |                     | Nagle ø6x24, sortkrom                               | Rivet ø6x24, black chromate                          |                             |
| 47   | 10036755   |                     | Hengsel Dør nede                                    | Hinge Door Low                                       | Steel                       |
| 48   | 10025624   |                     | Fjær E0360-034-3500M                                | Spring E0360-034-3500M                               | Steel                       |
| 49   | 10023710   |                     | Skrue senkhode Innvendig Sekskant M6x20             | Screw Countersunk Cap Internal Hex. M6x20            | St10.9                      |
| 50   | 10036756   |                     | Hengsle dør oppe                                    | Hinge Door Upper                                     |                             |
| 51   | 10036746   |                     | Sokkel komplett F 260                               | Base complete F 260                                  |                             |
| 52   | 10023588   |                     | Skrue sylinderh. innv. seksk. M6x12 DIN 912         | Screw Cylinderh. int. hex, M6x12 DIN 912             |                             |
| 53   | 10026649   |                     | Brakett for fjær-selvlukkende dør                   | Bracket For Spring Self Closing Door                 | Steel                       |
| 54   | 10036793   |                     | Kjøkken Hengsel sokkel dør                          | Kitchen Hinges Base Door                             | Steel                       |
| 55   | 10023998   |                     | Hylse   | Sleeve   | Ø10xØ6,2x15mm, Steel        |
| 56   | 12039590   |                     | Dør Sokkel F260 BP                                  | Door Base F 260 BP                                   | Cast Iron min 4mm thickness |

| Jøtul F 260 serien   |            |                        |  |   |                            |
|--|------------|------------------------|--|---|----------------------------|
| Jøtul F 262 BP cat no. 30023270, Jøtul F 263 BP m/sideglass cat no. 30023271 |            |                        |  |   |                            |
| BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted    |            |                        |  |   |                            |
| Pos. no.   | Spareparts | Consist of pos.no:     | Benevnelse                                 | Description   | Dim./Spec.                 |
| 57   | 10023541   |                        | Skrue sekskant med flens M6x16 Spesial     | Screw hex cap flange frame M6x16 Special            |                            |
| 58   | 10036811   |                        | Skjermplate komplett                       | Heat shield complete                                | Aluzink                    |
| 59   | 10036750   |                        | Side Stål Høyre F 263                      | Side Steel Right F 263                              | Steel                      |
| 60   | 10036760   |                        | Side Stål Høyre F 262                      | Side Steel Right F 262                              | Steel                      |
| 61   |            |                        | Pakningfor glass, Ø8, LD250 m/lim          | Gasket for glas Ø8,LD 250 with glue                 | LD 250-2 graph Ø6,4x1440mm |
| 62   |            |                        | Pakn snor S008 Ø8mm, for dør               | Gasket for door, S008 Ø8mm                          | S008-Ø8mm KI Ø8x1690mm     |
| 63   |            |                        | Pakn for topp LD 250 L1150 M/LIM           | Gasket for top,LD 250-2 with glue Ø6,4x1150mm       | LD 250-2 graph Ø6,4x1150mm |
| 64   |            |                        | Pakn for bunn LD 250 L1200 M/LIM           | Gasket for bottom,LD 250-2 with glue Ø6,4x1200mm    | LD 250-2 graph Ø6,4x1200mm |
| 65   |            |                        | Pakn for luftkanal LD 250 L300,            | Gasket for air channel, LD 250 Ø6,4x300mm           | LD 250-2 Ø6,4x300mm        |
| 66   | 10026663   |                        | Isolasjonsmatte 270X80X13mm                | Insulation 270X80X13mm                              | Superwool                  |
| 67   | 10026664   |                        | Isolasjonsmatte 205X60X13mm                | Insulation 205X60X13mm                              | Superwool                  |
| 68   | 10025215   |                        | Pakning V125 x 8                           | Gasket V 125 x 8                                    |                            |
| 69   | 10036752   |                        | Sideglass F 263                            | Side glas F 263                                     | Ceramic glass 4mm          |
| 70   | 10023556   |                        | Skrue maskin senkeh poz M6x16 Elzn DIN 965 | Screw machine flat poz M6x16 Elzn DIN 965           | Steel                      |
| 71   |            |                        | Pakn for bunndeksel LD 250 L1000 M/LIM     | Gasket for bottom cover, LD 250-2 w/glue Ø6,4x1000  | LD 250-2 graph Ø6,4x1000mm |
| 72   | 10036813   |                        | Side Stål Venstre F 263                    | Side Steel Left F 263                               | Steel                      |
| 73   | 10036812   |                        | Side Stål Venstre F 262                    | Side Steel Left F 262                               |                            |
| 74   |            |                        | Pakn for bakplate LD 250 L580 M/LIM        | Gasket for rear plate,LD 250-2 with glue Ø6,4x580mm | LD 250-2 graph Ø6,4x580mm  |
| 75   | 10026437   |                        | Låsepinne 8x8x24                           | Hinge pin 8x8x24                                    |                            |
| 76   | 10023660   |                        | Skrue 6K M/FL M8x12                        | Screw Hex Cap flange, M8x12                         |                            |
| 77   |            |                        | Pakning for sideglass LD250 m/lim          | Gasket for side glass, LD 250 with glue             | LD 250-2 graph Ø6,4x980mm  |
| 78   | 10026781   |                        | Apperture for Sideglass                    | Apperture for Sideglas                              | Aludip_Dx51D_AS            |
| 79   | 10025214   |                        | Pakning LD250 m/lim,                       | Gasket LD 250 with glue                             | LD 250-2 graph Ø6,4xLmm    |
| 80   | 10025214   |                        | Pakning LD250 m/lim,                       | Gasket LD 250 with glue                             | LD 250-2 graph Ø6,4xLmm    |
| 81   | 10023656   |                        | SKR SENKH INNV6K M8X30 ST10,9              | SCREW FLAT INTHEX M8X30 ST10,9                      |                            |
| 82   | 10023662   |                        | Skrue sekskant med flens M8x20 DIN 6922    | Screw hex cap flange M8x20 DIN 6922                 | St8.8 / ANSI B18.3         |
| 83   | 10026400   |                        | Avstandshylse                              | Distance Sleeve                                     | Steel                      |
| 84   | 10023666   |                        | Mutter sekskant med flens M6               | Nut Hex cap flange M6                               |                            |
| 85   | 10023780   |                        | Skive M6,4 x Ø18 x 1,6 Elzn Din 9021       | Washer M6,4 x Ø18 x 1,6 Elzn Din 9021               |                            |
| 86   |            |                        |  |   |                            |
| 87   |            |                        |  |   |                            |
| 88   |            |                        |  |   |                            |
| 89   | 10036794   |                        | Kjøkkenhengsel feste Sokkel Dør            | Mountingplate hinge Base door                       | 03.01.0310.0010            |
| 90   |            |                        |  |   |                            |
| 91   |            |                        |  |   |                            |
| 92   | 10023595   |                        | Skrue senkhode Innvendig Sekskant M8x16    | Screw Socket Flat Head cap M8x16                    | Steel 10,9                 |
| 93   | 10023713   |                        | Avstandsstykke M6x40                       |   |                            |
| 94   | 10023667   |                        | Mutter sekskant med flens M8               | Nut Hex cap flange M8                               |                            |
| 95   | 10023712   |                        | Skrue sett.innv.seksk. M8x30               | Screw set.int.hex. M8x30                            |                            |
| 96   | 10023519   |                        | Mutter sekskant M8                         | Nut Hexagonal M8                                    | Steel 8.8                  |
| 97   | 10024413   |                        | Hylse Ø10/6,2x10                           | Sleeve Ø10/6,2x10                                   | Steel                      |
| 98   | 10024197   |                        | Hylse Ø12/8,2x10                           | Sleeve Ø12/8,2x10                                   | Steel                      |
| 99   | 50036912   |                        | Peisset F 260 BP                           | Fire Tools F 260 BP                                 |                            |
| 100  | 50036877   | 102, 10036800          | Kleberside bak kompl F 260-serien          | Soapstone Side Rear Set F 260                       | Soapstone                  |
| 102  | 10036784   |                        | Kleber sett side + kleber topp F260        | Soapstone set sides + Top F260                      | Soapstone                  |
| 103  | 10036763   |                        | Festebrakett kleber F 260                  | Support bracket Soapstone F 260                     | Aluzink                    |
| 104  | 10036757   |                        | Kleber side F 260                          | Soapsstone side F 260                               | Soapstone                  |
| 105  | 10036759   |                        | Stålplate Bakre kleber F 260 BP            | Steelplate Rear Soapstone F 260 BP                  | Steel                      |
| 106  | 10038405   |                        | Skrue planhode Ø17 m8x16                   | Screw plane head ø17 M8x16                          | Steel 8,8                  |
| 107  | 10023522   |                        | Skrue Sekskant M8x60 Elzn Din 558          | Screw Hexagon M8x60 Elzn DIN558                     | Steel 8,8                  |
| 108  | 10023475   |                        | Mutter sekskant M6 DIN 934                 | Nut Hexagon M6 DIN 934                              |                            |
| 94   | 10023667   |                        | Mutter sekskant med flens M8               | Nut Hex cap flange M8                               |                            |
|  | 10036800   | 103,105,106,107,108,94 | Tynnplate kit kleber F 260                 | Steel Set Soapstone F 260                           |                            |
| 152  |            |                        |  |   |                            |
|  |            |                        |  |   |                            |
| 110  | 50036901   | 111,112                | Kleber Topp ( Til StålssiderBakre)         | Soapstone Top F 260 Additional ( Steelsides rear)   |                            |
| 111  | 10036758   |                        | Kleber Topp F 260                          | Soapstone Top F 260                                 | Soapstone                  |
| 112  | 10036762   |                        | Stål-Topprist til Kleber Topp F 260 BP     | Steel outlet Set F 260 BP                           | Steel                      |
|  |            |                        |  |   |                            |
|  |            |                        |  |   |                            |
| 115  | 30023272   | 116,117,118,84         | Stålsider bakre Kompl F 260 BP             | Steelbackside Set F 260 BP                          |                            |

| Jøtul F 260 serien   |            |                    |                                 |                               |                             |
|--|------------|--------------------|---------------------------------|-------------------------------|-----------------------------|
| Jøtul F 262 BP cat no. 30023270, Jøtul F 263 BP m/sideglass cat no. 30023271 |            |                    |                                 |                               |                             |
| BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted    |            |                    |                                 |                               |                             |
| Pos. no.   | Spareparts | Consist of pos.no: | Benevnelse                      | Description                   | Dim./Spec.                  |
| 116  | 10036754   |                    | Stålside Høyre Bakre F 260 BP   | Steelside Right Rear F 260 BP | Steel                       |
| 117  | 10036745   |                    | Stålside Venstre Bakre F 260 BP | Steelside Left Rear F 260 BP  | Steel                       |
| 118  | 10026383   |                    | Jet Press Clips EPF 271         | Jet Press Clips EPF 271       |                             |
| 84   | 10023666   |                    | Mutter sekskant med flens M6    | Nut Hex cap flange M6         |                             |
|  |            |                    |                                 |                               |                             |
| 120  | 50036914   |                    | Vifte F 260                     | Ventilator Jøtul F 260        |                             |
| 151  | 10044934   |                    | BRENNPLATE SETT F 160-F 260     | Burn plate Kit F 160 - F260   | Vermiculite                 |
| 153  | 12050010   |                    | Fyrbunn F160 MK2                | Inner Bottom F160 MK2         | Cast Iron min 4mm thickness |
| 154  | 12050011   |                    | Fyrbunnrist F160 MK2            | Inner Bottom Grate F160 MK2   | Cast Iron min 4mm thickness |
|  |            |                    |                                 |                               | 900086-P07                  |